

Molecular Knots and Links

Summary and References

Summer Term 2005

Dirk Andrae

Theoretische Chemie, Universität Bielefeld, Germany

The development of knot theory, including some related developments in chemistry and physics. Part 1

1805 John Dalton (1766–1844): The modern atom hypothesis

before 1865 Some mathematicians and physicists make first steps towards the development of knot theory:

- Alexandre-Théophile Vandermonde (1735–1796)
- Carl Friedrich Gauß (1777–1855)
- August Ferdinand Möbius (1790–1868)
- Johann Benedikt Listing (1808–1882)
- James Clerk Maxwell (1831–1879)

The studies by Gauß and Maxwell were related to the development of electrodynamics, i.e. a theory for electricity and magnetism.

Listing is one of the founders of topology ('analysis situs').

Möbius discovered the Möbius strip in 1858 (in a document discovered only after his death), but Listing described this object earlier already.

1867/1869 Sir William Thomson (1824–1907, later to become Lord Kelvin / Joule-Thomson effect) proposes the 'vortex model' of the atom.

Inspiration for this model came from the work on hydrodynamics of vortex motion ("Hydrodynamik der Wirbelbewegung", 1858) by Hermann Ludwig Ferdinand Helmholtz (1821–1894), and from experiments on smoke rings by Peter Guthrie Tait (1831–1901).

J. C. Maxwell, being first quite reserved to Thomson's idea, finally accepts it because this atomic model satisfies all demands to a much larger extent than any other model considered so far.

If the vortex model of the atom is correct, then the understanding of matter on a microscopic scale requires the study of knots (and links).

1869 Dmitri Ivanovich Mendeleev (1834–1907) proposes the 'periodic' table of the chemical elements.

1877/1887 P. G. Tait and Thomas P. Kirkman (1806–1895) develop knot tables for alternating knots with up to 10 crossings. These tables also include some links (with two or three components).

1892 Hermann Brunn discusses links with n components which separate into the trivial link with $n - 1$ components (i.e. into $n - 1$ separate trivial knots) whenever any single component is removed. Links with this property are now called Brunnian links. A popular example is the Borromean link ($n = 3$).

1897 Joseph John Thomson (1856–1940) discovers the electron (cathode rays are beams of free electrons). When the electron is a constituent of matter, then an atom likely contains electrons.

1899/1900 C. N. Little presents a knot table for non-alternating knots with 10 crossings (after six years of work).

1903 Emil Fischer (1852–1919, Nobel prize in Chemistry 1902) recognizes peptides and proteins as oligomers or polymers of α -amino acids, and synthesizes peptides for the first time

1906/1912 Experiments done by Ernest Rutherford (1871–1937, Nobel prize in Chemistry 1908), Hans Geiger (1882–1945), and Ernest Marsden (1889–1970) lead to

a new model of the atom: A massive nucleus is surrounded by electrons (Rutherford's model).

This is the final stroke which turns Thomson's vortex model obsolete.

1908 Heinrich Tietze (1880–1964) states the conjecture that two different knots cannot have the same complement.

1912 Richard Willstätter (1872–1942, Nobel prize in Chemistry 1915) takes into consideration the possibility of existence of catenanes (carbon ring compounds of required size were not yet known!).

1914 Max Wilhelm Dehn (1878–1952) proves the inequivalence of right- and lefthanded forms of the trefoil knot.

1924/1926 Leopold Ružička (1887–1976, Nobel prize in Chemistry 1939 with Adolf Butenandt) identifies the fragrances civetone ($C_{17}H_{30}O$) and muscone ($C_{16}H_{30}O$) as macrocyclic ketones, and presents a method for their synthesis. Carbocyclic rings with up to about 35 atoms can be synthesized for the first time.

1927 M. Kerschbaum identifies the fragrance ambrettolide ($C_{16}H_{28}O_2$) as a macrocyclic lactone.

The development of knot theory, including some related developments in chemistry and physics. Part 2

1923 James W. Alexander (1888–1971): Every knot or link can be obtained from a closed braid (Theorem of Alexander, though an earlier proof has been given by H. Brunn already in 1897).

1925 Emil Artin (1898–1962) publishes the ‘Theory of Braids’.

1925/1926 The birth of the new quantum mechanics: Matrix mechanics (Werner Heisenberg, 1901–1976, Nobel prize in Physics 1932) and wave mechanics (Erwin Schrödinger, 1887–1961, Nobel prize in Physics 1933 with Paul A. M. Dirac). The electronic structure of the one-electron atom can be understood for the first time. The spatial part of stationary state functions and associated eigenvalues are

$$\begin{aligned}\Psi_{nlm}(\mathbf{r}) &= r^{-1} P_{nl}(r) Y_{lm}(\theta, \phi), & P_{nl}(r) &= N_{nl} x^{l+1} e^{-x/2} L_{n_r}^{(2l+1)}(x) \\ x &= \frac{2Zr}{n}, & n_r &= n - l - 1, & L_n^{(\alpha)}(x) &= \sum_{k=0}^n (-1)^k \binom{n+\alpha}{n-k} \frac{x^k}{k!} \\ \hat{H}\Psi_{nlm} &= E_n \Psi_{nlm}, & E_n &= -\frac{1}{2} \frac{Z^2}{n^2} \frac{e^2}{4\pi\epsilon_0 a_0}, & a_0 &= \frac{4\pi\epsilon_0 \hbar^2}{m_e e^2} \\ \hat{L}^2 \Psi_{nlm} &= l(l+1) \hbar^2 \Psi_{nlm} \\ \hat{L}_z \Psi_{nlm} &= m \hbar \Psi_{nlm}\end{aligned}$$

The spectra of one-electron atoms are understood, i.e. the Lyman, Balmer, etc. series in case of hydrogen (except for finer details which require relativity, spin-orbit coupling, interaction of higher electric/magnetic multipole moments etc. to be included).

1926 Erwin Fues (1893–1970) applies the Schrödinger equation successfully to the problem of vibrational states of diatomic molecules (he uses the Kratzer potential, $V(R) = -A/R + B/R^2$, $A > 0$, $B > 0$ as effective internuclear potential).

1926 Kurt Reidemeister (1893–1971) introduces the three moves Ω_i , $i = 1, 2, 3$, for knot projections, now known as Reidemeister moves. These are sufficient to study any allowed deformation of a knot by studying the effects of these moves on the knot diagram.

1927 Walter Heitler (1904–1981) and Fritz London (1900–1954) apply the Schrödinger equation successfully to the ground state of the hydrogen molecule, $\text{H}_2 X^1\Sigma_g^+$. Their wave function ansatz (valence bond ansatz) is

$$\Psi(1, 2) = N \frac{1}{\sqrt{2}} \{ \psi_a(\mathbf{r}_1) \psi_b(\mathbf{r}_2) + \psi_b(\mathbf{r}_1) \psi_a(\mathbf{r}_2) \} \frac{1}{\sqrt{2}} \{ \alpha(1) \beta(2) - \beta(1) \alpha(2) \}$$

The ‘covalent chemical bond’ is understood for the first time.

1928 J. W. Alexander invents a polynomial invariant $\Delta(x)$ (now called Alexander polynomial) for knots and links.

1928/1929 Egil Andersen Hylleraas (1898–1965) applies the Schrödinger equation successfully to the ground state of the helium atom, $\text{He } X^1S$. The spatial part of his wave function ansatz depends explicitly on the interelectronic distance r_{12} . A simple example for such a function is

$$\Psi(\mathbf{r}_1, \mathbf{r}_2) = N e^{-\zeta(r_1+r_2)} (1 + cr_{12})$$

The electronic structure of a two-electron atom is understood for the first time.

1932 K. Reidemeister publishes the first textbook on knot theory.

1933 Karl W. Ziegler (1898–1973, Nobel prize in Chemistry 1963 with Giulio Natta) and coworkers present a new, more efficient synthetic method for macrocyclic compounds from α,ω -dinitriles, based on earlier work (1912) by P. Ruggli (1884–1945). The technique is known now as Ruggli-Ziegler dilution principle.

The development of knot theory, including some related developments in chemistry and physics. Part 3

- 1934** Herbert Seifert (1907–1996): Every (oriented) knot represents the boundary line of an orientable surface in 3-space, the Seifert surface of the knot. Or, equivalently, to every given knot can be constructed an orientable surface in 3-space for which the knot represents the boundary line.
- 1935** J. Henry C. Whitehead (1904–1960) discovers the two-component link now bearing his name.
- 1944** Oswald Avery (1877–1955), Maclyn McCarty (1911–2005) and Colin M. MacLeod (1909–1972) provided experimental evidence that DNA is the substance responsible for heredity.
- 1947** Frederick Sanger (* 1918, Nobel prize in Chemistry 1958, and again 1980 [with Paul Berg and Walter Gilbert]) determines for the first time the amino acid sequences of a protein, of the protein insulin
- 1949** Horst Schubert proves the uniqueness of the decomposition of a knot into prime knots. A consequence of this proof is that there does not exist an inverse knot to any given knot, such that the composite knot formed from these two knots reduces to the trivial knot. This is completely different from the situation with braids!
- 1950** Erwin Chargaff (1905–2002) finds that the base composition in DNA is such that $A=T$ and $G=C$, so that equal amounts pyrimidine and purine bases are present. In addition, the base composition of DNA varies from one species to another (Chargaff rules).
- 1951** Linus Pauling (1901–1994, Nobel prize in Chemistry 1954, Nobel Peace prize 1962), Robert C. Corey (* 1928, Nobel prize in Chemistry 1990), and H. R. Branson discover the α -helix structure (and Pauling and Corey also the β -sheet structure) of proteins
- 1951/1953** Rosalind Franklin (1920–1958) and Maurice Wilkins (1916–2005, Nobel prize in Medicine or Physiology 1958 with James D. Watson and Francis H. C. Crick) are involved in X-ray diffraction studies of DNA
- 1952** Joshua Lederberg (* 1925, Nobel prize in Medicine or Physiology 1958 with George Wells Beadle and Edward Lawrie Tatum) coins the term ‘plasmid’ for (in most cases) circular, extrachromosomal, double-stranded DNA molecules found mainly in bacteria, but also in some yeasts and fungi. As we know today, genes on plasmids are involved in or responsible for e.g. fertility or antibiotic resistance of these organisms.
- 1953** James D. Watson (* 1928) and Francis H. C. Crick (1916–2004) — both received the Nobel prize in Medicine or Physiology 1962 with Maurice H. F. Wilkins — identify a model structure of double-stranded DNA.
- 1954** Arthur Lüttringhaus (1906–1992) starts to work on a direct and controlled synthesis of a [2]-catenane.
- 1959** Bruce Merrifield (* 1921, Nobel prize in Chemistry 1984) invents the solid phase synthesis for peptides and (small) proteins
- 1960** Robert L. Sinsheimer and Walter Fiers discover that the genetic material of the bacterial virus ϕ X174 is in the form of a ring of single-stranded DNA

1960 Edsel Wasserman claims to have synthesized a [2]-catenane, but his claims cannot be confirmed (neither by himself nor by others).

1963 John Cairns first observes double-stranded DNA rings

1963 Jerome Vinograd (1913–1976) identifies supercoiled structure of DNA

1964 Gottfried Schill and A. Lüttringhaus report on the first successful controlled synthesis of a [2]-catenane.

1967 Jerome Vinograd and coworkers discover catenated forms of mitochondrial DNA in human tumor cells (HeLa cells and leukaemic leucocytes).

1967 John Horton Conway (* 1937) presents a new notation for knots and links, uses ‘surgery’ to derive the skein relation for oriented knots and links, and thus finds a new simpler way to determine the Alexander polynomial recursively. This Alexander-Conway polynomial of a knot or link L (also known as potential function of L), $\nabla_L(z)$, can be obtained recursively from the two relations

$$\nabla_{0_1}(z) = 1, \quad \nabla_{L_+}(z) - \nabla_{L_-}(z) + z \nabla_{L_0}(z) = 0$$

where the latter relation, the skein relation, involves oriented links L_+ , L_- , and L_0 that differ in only one crossing (right-hand, left-hand, or no crossing). For a knot K , the Alexander-Conway polynomial $\nabla_K(z)$, with $z = t^{1/2} - t^{-1/2}$, is identical to the Alexander polynomial, $\Delta_K(t)$, normalized such that $\Delta_K(t) = \Delta_K(t^{-1})$ and $\Delta_K(0) = 1$]. Conway publishes a catalogue for prime knots with up to 11 crossings, and prime links with up to 10 crossings (without use of a computer, and with only a few errors).

1968 Stanley Cohen (* 1922, Nobel prize in Physiology or Medicine 1986) discovers plasmids, and their importance for antibiotic resistance of bacteria.

1971 Discovery of DNA topoisomerases by James C. Wang.

1974 Kenneth A. Perko, Jr., points out that the two knots 10_{161} and 10_{162} are actually only two representations of the same knot.

1977 DNA sequencing techniques become available

1982 David M. Walba and coworkers synthesize a molecular Möbius strip.

1983 C. Hugh Dowker (1912–1982) invents a new notation for knots which is suitable for computer implementation.

1983 Andrzej Stasiak, Theodor Koller, and coworkers develop a technique to cover DNA with a protein, the *recA* protein. This allows to deduce unequivocally the absolute handedness of DNA knots and catenanes from electron microscopic pictures.

1985 Kary B. Mullis (* 1944, Nobel prize in Chemistry 1993) invents the polymerase chain reaction (PCR), which allows to generate genetic material from a single molecule of double-stranded DNA

1985 Vaughan F. R. Jones (* 1952, Fields medal 1990) invents a new polynomial invariant $V(t)$ (now called Jones polynomial), which can distinguish a knot from its mirror image. The Jones polynomial may be calculated recursively from

$$V_{0_1}(t) = 1, \quad t^{-1} V_{L_+}(t) - t V_{L_-}(t) - z P_{L_0}(t) = 0, \quad z = t^{1/2} - t^{-1/2}$$

1985 The HOMFLY polynomial, a new polynomial invariant in two variables, $P_L(l, m)$, is discovered (the acronym combines the initial letters of some of the discoverers, Hoste, Ocneanu, Millett, Freyd, Lickorish, and Yetter; the acronym LYMPH-TOFU, proposed by the Israeli mathematician D. Bar-Natan to account for all known and unknown discoverers, did not succeed). The HOMFLY polynomial may be calculated recursively from

$$P_{0_1}(l, m) = 1, \quad l P_{L_+}(l, m) + l^{-1} P_{L_-}(l, m) + m P_{L_0}(l, m) = 0$$

1989 Cameron McA. Gordon and John Luecke prove the Tietze conjecture: Two knots are the same if and only if the space around them (their complement) is the same.

1989 Christiane Dietrich-Buchecker and Jean-Pierre Sauvage (* 1944) synthesize a molecular trefoil knot with a template technique based on transition metal complexes.

1990 Victor Vassiliev discovers the existence of hierarchies of knot invariants. This opens the way to use higher invariants, in case that simpler ones do not suffice to distinguish a given knot from another one.

1990/1991 Jean-Pierre Sauvage and coworkers synthesize $[n]$ -catenanes ($n = 2, \dots, 7$) with a template technique based on transition metal complexes.

1991 Nadrian C. Seeman and coworkers synthesize a single-stranded DNA trefoil knot, using the self-assembly properties of DNA

1994 J. Fraser Stoddart (* 1942), UCLA, synthesizes olympiadane, a $[5]$ -catenane, with a template technique based on aromatic π - π -stacking interactions.

1994 Chengzhi Liang and Kurt Mislow find knotted proteins in a survey of structures deposited in the Brookhaven Protein Data Bank (PDB). Disulfide linkages are involved in forming the knot.

1995 Sigeo Ihara and Satoshi Itoh discuss the possible existence and the properties of toroidal single-walled carbon nanotubes. Experimentally, helical carbon nanotubes have been observed.

2000 Discovery of a protein with a deeply located knot, formed by the protein backbone itself (without participation of disulfide bridges), in a survey of the PDB. Experimental discovery of a bacteriophage capsid which is formed by catenated proteins.

List of references for the lecture series on
Molecular Knots and Links
PD Dr. Dirk Andrae
Summer Term 2005

Books on Knots and Links

Textbooks, knot books, easy reading books, ...

— ordered alphabetically by the name of the (first) author (version of 9. September 2005)

- [1] Colin C. Adams. *Das Knotenbuch. Einführung in die mathematische Theorie der Knoten*. Spektrum Akademischer Verlag, Heidelberg, 1995.
- [2] A. Amann, L. Cederbaum und W. Gans, Hrsg. *Fractals, Quasicrystals, Chaos, Knots and Algebraic Quantum Mechanics*. NATO ASI Series, Series C: Mathematical and Physical Sciences, Vol. 235. Kluwer, Dordrecht, 1988.
- [3] Clifford W. Ashley. *The Ashley book of knots*. Faber and Faber, Boston, 1979.
- [4] Clifford W. Ashley. *Das Ashley-Buch der Knoten*. Edition Maritim, Hamburg, 6. Aufl., 1999.
- [5] Gerhard Burde und Heiner Zieschang. *Knots*. de Gruyter, Berlin, 2. Aufl., 2003.
- [6] Richard H. Crowell und Ralph H. Fox. *Introduction to Knot Theory*. Graduate Texts in Mathematics 57. Springer, New York, 1977.
- [7] N. D. Gilbert und T. Porter. *Knots and Surfaces*. Oxford University Press, Oxford, 1994.
- [8] Louis H. Kauffman. *Knoten. Diagramme, Zustandsmodelle, Polynom invarianten*. Spektrum Akademischer Verlag, Heidelberg, 1995.
- [9] Louis H. Kauffman. *Knots and physics*. World Scientific, Singapore, 3. Aufl., 2001.
- [10] Serge Lang und John T. Tate, Hrsg. *The Collected Papers of Emil Artin*.
- [11] W. B. Raymond Lickorish. *An Introduction to Knot Theory*. Graduate Texts in Mathematics 175. Springer, New York, 1997.
- [12] Charles Livingston. *Knotentheorie für Einsteiger*. Friedr. Vieweg & Sohn, Braunschweig, 1995.
- [13] Peter Owen. *Outdoor-Knotenfibel*. BLV, München, 2003.
- [14] Des Pawson. *Das BLV-Knoten-Handbuch*. BLV, München, 1998.
- [15] Viktor V. Prasolov und A. B. Sossinsky. *Knots, links, braids and 3-manifolds: an introduction to the new invariants in low dimensional topology*. Translations of Mathematical Monographs, Vol. 154. American Mathematical Society, Providence, RI, 1997.
- [16] K. Reidemeister. *Knotentheorie*. Springer, Berlin, 1932.
- [17] K. Reidemeister. *Knotentheorie*. Chelsea Publishing Company, New York, 1948.
- [18] Dale Rolfsen. *Knots and Links*. Publish or Perish, Berkeley, California, 1976.
- [19] Dale Rolfsen. *Knots and Links*. American Mathematical Society, Providence, Rhode Island, 2003.
- [20] W. W. Rouse Ball. *Fun with String Figures*. Dover, New York, 1971.
- [21] Gottfried Schill. *Catenanes, Rotaxanes, and Knots*. Organic Chemistry, 22. Academic Press, New York, 1971.
- [22] Alexei Sossinsky. *Mathematik der Knoten. Wie eine Theorie entsteht*. Rowohlt, Reinbek bei Hamburg, 2000.
- [23] H. Tietze, Hrsg. *Ein Kapitel Topologie. Zur Einführung in die Lehre von den verknoteten Linien*. B. G. Teubner, Leipzig, 1942.

List of references for the lecture series on
Molecular Knots and Links
PD Dr. Dirk Andrae
Summer Term 2005

Papers on Knots and Links

... roughly in chronological order ... (version of 9. September 2005)

- [1] William Thomson. On Vortex Atoms. *Proc. R. Soc. Edinburgh*, 6: 94–105, 1867.
- [2] W. Thomson. On Vortex Motion. *Trans. — R. Soc. Edinburgh*, 25: 217–260, 1869.
- [3] P. G. Tait. On Knots. *Trans. — R. Soc. Edinburgh*, 28: 145–190 (and plates XV & XVI), 1877.
- [4] P. G. Tait. On Knots. Part II. *Trans. — R. Soc. Edinburgh*, 32: 327–339 (and plate XLIV), 1887.
- [5] P. G. Tait. On Knots. Part III. *Trans. — R. Soc. Edinburgh*, 32: 493–506 (and plates LXXIX–LXXXI), 1887.
- [6] P. G. Tait. On Knots I, II, III. In *Scientific Papers, Vol. 1*, S. 273–347. Cambridge University Press, London, 1898.
- [7] Thomas P. Kirkman. The Enumeration, Description, and Construction of Knots of Fewer than Ten Crossings. *Trans. — R. Soc. Edinburgh*, 32: 281–309 (and plates XL–XLIII), 1887.
- [8] Hermann Brunn. Ueber Verkettung. *Sitzungsber. Bayer. Akad. Wiss. Math.-Naturwiss. Kl.*, 22: 77–99 und Tafeln II–IV, 1892.
- [9] C. N. Little. Non-Alternate \pm Knots. *Trans. — R. Soc. Edinburgh*, 39: 771–778 (and three plates), 1900.
- [10] M. Dehn. Die beiden Kleeblattschlingen. *Math. Ann.*, 75: 402–413, 1914.
- [11] J. W. Alexander. A Lemma on Systems of Knotted Curves. *Proc. Natl. Acad. Sci. U. S. A.*, 9: 93–95, 1923.
- [12] Emil Artin. Theorie der Zöpfe. *Abh. Math. Semin. Hamburg. Univ.*, 4: 47–72, 1926.
- [13] L. Ružička. Zur Kenntnis des Kohlenstoffringes I. Über die Konstitution des Zibetons. *Helv. Chim. Acta*, 9: 230–248, 1926.
- [14] L. Ružička, M. Stoll und H. Schinz. Zur Kenntnis des Kohlenstoffringes II. Synthese der carbocyclischen ketone vom Zehner- bis zum Achtzehnering. *Helv. Chim. Acta*, 9: 249–264, 1926.
- [15] L. Ružička, W. Brugger, M. Pfeiffer, H. Schinz und M. Stoll. Zur Kenntnis des Kohlenstoffringes VI. Über die relative Bildungsleichtigkeit, die relative beständigkeit und den räumlichen Bau der gesättigten Kohlenstoffringe. *Helv. Chim. Acta*, 9: 499–520, 1926.
- [16] L. Ružička. Zur Kenntnis des Kohlenstoffringes VII. Über die Konstitution des Muscons. *Helv. Chim. Acta*, 9: 715–729, 1926.
- [17] L. Ružička. Zur Kenntnis des Kohlenstoffringes VIII. Weitere Beiträge zur Konstitution des Muscons. *Helv. Chim. Acta*, 9: 1008–1017, 1926.
- [18] L. Ružička, M. Hürbin und M. Furter. Zur Kenntnis des Kohlenstoffringes XXVII. Über den 26-, 28-, 30-, 32- und 34-gliedrigen Kohlenstoffring und über physikalische Eigenschaften bei vielgliedrigen Kohlenstoffringen. *Helv. Chim. Acta*, 17: 78–87, 1934.
- [19] M. Kerschbaum. Über Lactone mit großen Ringen — die Träger des vegetabilen Moschus-Duftes. *Ber. Dtsch. Chem. Ges.*, 60: 902–909, 1927.
- [20] J. W. Alexander und G. B. Briggs. On Types of Knotted Curves. *Ann. Math.*, 28: 562–586, 1926/1927.

- [21] Kurt Reidemeister. Knoten und Gruppen. *Abh. Math. Semin. Hamburg. Univ.*, 5: 7–23, 1927.
- [22] Kurt Reidemeister. Elementare Begründung der Knotentheorie. *Abh. Math. Semin. Hamburg. Univ.*, 5: 24–32, 1927.
- [23] Kurt Reidemeister. Über Knotengruppen. *Abh. Math. Semin. Hamburg. Univ.*, 6: 56–64, 1928.
- [24] Kurt Reidemeister. Knoten und Verkettungen. *Math. Z.*, 29: 713–729, 1929.
- [25] J. W. Alexander. Topological Invariants of Knots and Links. *Trans. Am. Math. Soc.*, 30: 275–306, 1928.
- [26] K. Ziegler, H. Eberle und H. Ohlinger. Über vielgliedrige Ringsysteme. I. Die präparativ ergiebige Synthese der Polymethylenketone mit mehr als 6 Ringgliedern. *Justus Liebigs Ann. Chem.*, 504: 94–130, 1933.
- [27] H. Seifert. Über das Geschlecht von Knoten. *Math. Ann.*, 110: 571–592, 1934.
- [28] Horst Schubert. Die eindeutige Zerlegbarkeit eines Knotens in Primknoten. *Sitzungsber. Heidelb. Akad. Wiss. Math.-Naturwiss. Kl.*, (3): 57–104, 1949.
- [29] Erwin Chargaff. Chemical Specificity of Nucleic Acids and Mechanism of their Enzymatic Degradation. *Experientia*, 6: 201–209, 1950.
- [30] Linus Pauling, Robert C. Corey und H. R. Branson. The Structure of Proteins: Two Hydrogen-Bonded Helical Configurations of the Polypeptide Chain. *Proc. Natl. Acad. Sci. U. S. A.*, 37: 205–211, 1951.
- [31] Linus Pauling und Robert C. Corey. The Pleated Sheet, a New Layer Configuration of Polypeptide Chains. *Proc. Natl. Acad. Sci. U. S. A.*, 37: 251–256, 1951.
- [32] J. D. Watson und F. H. C. Crick. A Structure for Deoxyribose Nucleic Acid. *Nature (London)*, 171: 737–738, 1953.
- [33] Kurt Reidemeister. Knoten und Geflechte. *Nachr. Akad. Wiss. Göttingen, Math.-Phys. Kl.*, 2, (5): 105–115, 1960.
- [34] Edel Wasserman. The preparation of interlocking rings: A catenane. *J. Am. Chem. Soc.*, 82: 4433–4434, 1960.
- [35] H. L. Frisch und E. Wasserman. Chemical Topology. *J. Am. Chem. Soc.*, 83: 3789–3795, 1961.
- [36] Edel Wasserman. Chemical Topology. *Sci. Am.*, 207(5): 32,34,94–102,206, November 1962.
- [37] R. H. Fox. A Quick Trip Through Knot Theory. In M. K. Fort, Jr., Hrsg., *Topology of 3-manifolds and related topics*, S. 120–167. Prentice-Hall, Englewood Cliffs, New Jersey, 1962.
- [38] G. Schill und A. Lüttringhaus. Gezielte Synthese von Catena-Verbindungen. *Angew. Chem.*, 76: 567–568, 1964.
- [39] Bruce Hudson und Jerome Vinograd. Catenated Circular DNA Molecules in HeLa Cell Mitochondria. *Nature (London)*, 216: 647–652, 1967.
- [40] David A. Clayton und Jerome Vinograd. Circular Dimer and Catenane Forms of Mitochondrial DNA in Human Leukaemic Leucocytes. *Nature (London)*, 216: 652–657, 1967.
- [41] J. H. Conway. An enumeration of knots and links, and some of their algebraic properties. In John Leech, Hrsg., *Computational Problems in Abstract Algebra*, S. 329–358. Pergamon, Oxford, 1970.
- [42] James C. Wang. Interaction between DNA and an *Escherichia coli* Protein ω . *J. Mol. Biol.*, 55: 523–533, 1971.
- [43] Leroy F. Liu, Richard E. Depew und James C. Wang. Knotted Single-stranded DNA Rings: A Novel Topological Isomer of Circular Single-stranded DNA Formed by Treatment with *Escherichia coli* ω Protein. *J. Mol. Biol.*, 106: 439–452, 1976.

- [44] Kenneth A. Perko, Jr. On the Classification of Knots. *Proc. Am. Math. Soc.*, 45: 262–266, 1974.
- [45] Lee Neuwirth. The Theory of Knots. *Sci. Am.*, 240(6): 84–96, June 1979.
- [46] Lee Neuwirth. Knotentheorie. *Spektrum der Wissenschaft*, S. 53, 74–84, 112, August 1979.
- [47] William F. Pohl. DNA and Differential Geometry. *Mathematical Intelligencer*, 3: 20–27, 1980.
- [48] William R. Bauer, F. H. C. Crick und James H. White. Supercoiled DNA. *Sci. Am.*, 243(1): 13,100–113,134, July 1980.
- [49] William R. Bauer, F. H. C. Crick und James H. White. Überspiralige Formen der Erbsubstanz (der DNS). *Spektrum der Wissenschaft*, S. 4, 24–36, 138, September 1980.
- [50] James C. Wang. DNA Topoisomerases. *Sci. Am.*, 247: 14,84–95,130, July 1982.
- [51] James C. Wang. DNA-Topoisomerasen. *Spektrum der Wissenschaft*, S. 4,100–111,130, September 1982.
- [52] C. H. Dowker und Morwen B. Thistlethwaite. Classification of Knot Projections. *Topology Appl.*, 16: 19–31, 1983.
- [53] A. Stasiak, E. DiCapua und T. Koller. Unwinding of Duplex DNA in Complexes with *recA* Protein. *Cold Spring Harbor Symp. Quant. Biol.*, 47: 811–820, 1983.
- [54] Mark A. Krasnow, Andrzej Stasiak, Sylvia J. Spengler, Frank Dean, Theo Koller und Nicholas R. Cozzarelli. Determination of the absolute handedness of knots and catenanes of DNA. *Nature (London)*, 304: 559–560, 1983.
- [55] Gottfried Schill, Norbert Schweickert, Hans Fritz und Walter Vetter. [2]-[Cyclohexatetracontan]-[Cyclooctacosan]-catenan, das erste Kohlenwasserstoff-Catenan. *Angew. Chem.*, 95: 909–910, 1983.
- [56] Martin Gardner. Mathematische Spielereien. *Spektrum der Wissenschaft*, S. 6–10, 150, Dezember 1983. Topologisches über Knoten.
- [57] Gottfried Schill, Enno Logemann und Walter Littke. Makrocyclen, Catenane und Knoten. *Chem. unserer Zeit*, 18: 130–137, 1984.
- [58] Morwen B. Thistlethwaite. Knot tabulations and related topics. In I. M. James und E. H. Kronheimer, Hrsg., *Aspects of topology. In memeoray of Hugh Dowker 1912 - 1982*, London Mathematical Society Lecture Note Series: 93, S. 1–76. Cambridge University Press, Cambridge, 1985.
- [59] David M. Walba. Topological Stereochemistry. *Tetrahedron*, 41: 3161–3212, 1985.
- [60] Vaughan F. R. Jones. A polynomial invariant for knots via von Neumann algebras. *Bull. Am. Math. Soc.*, 12: 103–111, 1985.
- [61] P. Freyd, D. Yetter, J. Hoste, W. B. R. Lickorish, K. Millett und A. Ocneanu. A new polynomial invariant for knots and links. *Bull. Am. Math. Soc.*, 12: 239–246, 1985.
- [62] Steven A. Wasserman und Nicholas R. Cozzarelli. Biochemical Topology: Applications to DNA Recombination and Replication. *Science*, 232: 951–960, 1986.
- [63] C. Ernst und D. W. Sumners. The growth of the number of prime knots. *Math. Proc. Cambridge Philos. Soc.*, 102: 303–315, 1987.
- [64] D. W. Sumners. The Knot Theory of Molecules. *J. Math. Chem.*, 1: 1–14, 1987.
- [65] Louis H. Kauffman. New Invariants in the Theory of Knots. *Am. Math. Monthly*, 95: 195–242, 1988.
- [66] Andrzej Stasiak und Theodor Koller. Analysis of DNA knots and catenanes allows to deduce the mechanism of action of enzymes which cut and join DNA strands. In A. Amann, L. Cederbaum und W. Gans, Hrsg., *Fractals, Quasicrystals, Chaos, Knots and Algebraic Quantum Mechanics*, NATO ASI Series, Series C: Mathematical and Physical Sciences, Vol. 235, S. 207–219. Kluwer, Dordrecht, 1988.

- [67] D. W. Sumners. Using knot theory to analyze DNA experiments. In A. Amann, L. Cederbaum und W. Gans, Hrsg., *Fractals, Quasicrystals, Chaos, Knots and Algebraic Quantum Mechanics*, NATO ASI Series, Series C: Mathematical and Physical Sciences, Vol. 235, S. 221–232. Kluwer, Dordrecht, 1988.
- [68] P. de la Harpe. Introduction to knot and link polynomials. In A. Amann, L. Cederbaum und W. Gans, Hrsg., *Fractals, Quasicrystals, Chaos, Knots and Algebraic Quantum Mechanics*, NATO ASI Series, Series C: Mathematical and Physical Sciences, Vol. 235, S. 233–263. Kluwer, Dordrecht, 1988.
- [69] Barry A. Cipra. To Have and Have Knot: When Are Knots Alike? *Science*, 241: 1291–1292, 1988.
- [70] C. McA. Gordon und J. Luecke. Knots are Determined by Their Complements. *J. Am. Math. Soc.*, 2: 371–415, 1989.
- [71] Christiane O. Dietrich-Buchecker und Jean-Pierre Sauvage. Eine Kleeblattknoten-Verbindung. *Angew. Chem.*, 101: 192–194, 1989.
- [72] Ian Stewart. Mathematische Unterhaltungen. *Spektrum der Wissenschaft*, S. 12–17, August 1990. Knoten und Verkettungen; Erratum: T. Walz, *Spektrum der Wissenschaft* Mai 1992, 9.
- [73] De Witt Sumners. Untangling DNA. *Mathematical Intelligencer*, 12(3): 71–80, 1990.
- [74] Vaughan F. R. Jones. Knot Theory and Statistical Mechanics. *Sci. Am.*, S. 98–103, November 1990.
- [75] Vaughan F. R. Jones. Knotentheorie und statistische Mechanik. *Spektrum der Wissenschaft*, S. 66–73, Januar 1991.
- [76] Junghuei Chen und Nadrian C. Seeman. Synthesis from DNA of a molecule with the connectivity of a cube. *Nature (London)*, 350: 631–633, 1991.
- [77] Helmut Doll und Jim Hoste. A Tabulation of Oriented Links. *Math. Comput.*, 57: 747–746 & s219–s268, 1991.
- [78] John E. Mueller, Shou Ming Du und Nadrian C. Seeman. Design and Synthesis of a Knot from Single-Stranded DNA. *J. Am. Chem. Soc.*, 113: 6303–6308, 1991.
- [79] Shou Ming Du und Nadrian C. Seeman. Synthesis of a DNA Knot Containing Both Positive and Negative Nodes. *J. Am. Chem. Soc.*, 114: 9652–9655, 1992.
- [80] Ch. Dietrich-Buchecker und J. P. Sauvage. Synthetic Molecular Knots. *New J. Chem.*, 16: 277–285, 1992.
- [81] Topology in Molecular Chemistry (Special issue). *New J. Chem.* **17** (1993), no. 10–11.
- [82] Roald Hoffmann. DNA as Clay. *Am. Sci.*, 82: 308–311, 1994.
- [83] Stanley Y. Shaw und James C. Wang. DNA Knot Formation in Aqueous Solutions. *J. Knot Theory Ramif.*, 3: 287–298, 1994.
- [84] Jonathan K. Simon. Energy Functions for Polygonal Knots. *J. Knot Theory Ramif.*, 3: 299–320, 1994.
- [85] Chengzhi Liang und Kurt Mislow. Knots in Proteins. *J. Am. Chem. Soc.*, 116: 11189–11190, 1994.
- [86] Chengzhi Liang und Kurt Mislow. Topological Features of Protein Structures: Knots and Links. *J. Am. Chem. Soc.*, 117: 4201–4213, 1995.
- [87] Sigeo Ihara und Satoshi Itoh. Helically coiled and toroidal cage forms of graphitic carbon. *Carbon*, 33: 931–939, 1995.
- [88] Shou Ming Du, B. David Stollar und Nadrian C. Seeman. A Synthetic DNA Molecule in Three Knotted Topologies. *J. Am. Chem. Soc.*, 117: 1194–1200, 1995.
- [89] Michael Groß. Unkonventionelle Anwendungen des Erbsubstanz-Moleküls DNA. *Spektrum der Wissenschaft*, S. 16–18, August 1995.

- [90] Nadrian C. Seeman. DNA Components for Molecular Architecture. *Acc. Chem. Res.*, 30: 357–363, 1997.
- [91] Erica Flapan. Knots and Graphs in Chemistry. *Chaos, Solitons & Fractals*, 9: 547–560, 1998.
- [92] Moritz Epple. Orbits of Asteroids, a Braid, and the First Link Invariant. *Mathematical Intelligencer*, 20(1): 45–52, 1998.
- [93] Peter Cromwell, Elisabetta Beltrami und Marta Rampichini. The Borromean rings. *Mathematical Intelligencer*, 20(1): 53–62, 1998.
- [94] Nadrian C. Seeman, Chengde Mao und Weiqiong Sun. DNA Borromean rings. *Mathematical Intelligencer*, 20(3): 3, 1998.
- [95] Jim Hoste, Morwen Thistlethwaite und Jeff Weeks. The First 1,701,936 Knots. *Mathematical Intelligencer*, 20(4): 33–48, 1998.
- [96] Jan Cz. Dobrowolski und Aleksander P. Mazurek. C₆₀ Carbyne Knots (from 0₁ to 6₃): Theoretical NMR Spectra. *Int. J. Quantum Chem.*, 70: 1009–1015, 1998.
- [97] Jan Cz. Dobrowolski und Aleksander P. Mazurek. C₆₀ Topological Isomers: Other Carbon Allotropes. *J. Phys. Chem. A*, 102: 5260–5262, 1998.
- [98] J. Cz. Dobrowolski und A. P. Mazurek. Carbyne Trefoil Knots – Are They Stable Enough to Exist? *Pol. J. Chem.*, 72: 1593–1603, 1998.
- [99] Jan Cz. Dobrowolski und Aleksander P. Mazurek. On the C₆₀ Carbyne Links (from 2₁² to 6₃²). *Int. J. Quantum Chem.*, 75: 839–846, 1999.
- [100] Jan Cz. Dobrowolski und Aleksander P. Mazurek. The granny and square carbyne knots: Theoretical NMR spectra. *J. Mol. Struct.*, 482–483: 339–342, 1999.
- [101] Jan Cz. Dobrowolski und Aleksander P. Mazurek. C₆₀ Cyclized Hook-and-Ladder Carbynes. *Int. J. Quantum Chem.*, 80: 1087–1098, 2000.
- [102] Jan Cz. Dobrowolski und Aleksander P. Mazurek. On the qualitative theoretical NMR chemical shifts of model carbyne catenanes and knots. *Chem. Phys. Lett.*, 348: 60–66, 2001.
- [103] J. Cz. Dobrowolski und A. P. Mazurek. On the theoretical VCD, IR and Raman spectra of model chiral right-hand trefoil knots. *J. Mol. Struct.*, 563–564: 309–313, 2001. Erratum: *J. Mol. Struct.* **616** (2002) 267.
- [104] Gloria A. Breault, Christopher A. Hunter und Paul C. Mayers. Supramolecular Topology. *Tetrahedron*, 55: 5265–5293, 1999.
- [105] Adam Sobanski, Roland Schmieder und Fritz Vögtle. Topologische Stereochemie und Chiralität. *Chem. unserer Zeit*, 34: 160–169, 2000.
- [106] William R. Taylor. A deeply knotted protein structure and how it might fold. *Nature (London)*, 406: 916–919, 2000.
- [107] William R. Wikoff, Lars Liljas, Robert L. Duda, Hiro Tsuruta, Roger W. Hendrix und John E. Johnson. Topologically Linked Protein Rings in the Bacteriophage HK97 Capsid. *Science*, 289: 2129–2133, 2000.
- [108] Lothar Jaenicke. Die Fackel des Erwin Chargaff und das Feuer des Heraklit fressen ihre Kinder. *Angew. Chem.*, 114: 4387–4390, 2002.
- [109] Alessandra Carbone und Nadrian C. Seeman. Circuits and programmable self-assembling DNA structures. *Proc. Natl. Acad. Sci. U. S. A.*, 99: 12577–12582, 2002.
- [110] Helge Kragh. The Vortex Atom: A Victorian Theory of Everything. *Centaurus*, 44: 32–114, 2002.
- [111] Stuart J. Cantrill, Kelly S. Chichak, Andrea J. Peters und J. Fraser Stoddart. Nanoscale Borromean Rings. *Acc. Chem. Res.*, 38: 1–9, 2005.
- [112] Nadrian C. Seeman. Karriere für die Doppelhelix. *Spektrum der Wissenschaft*, S. 82–90, Januar 2005.